

Alfa Laval CBXP27

Brazed plate heat exchanger for extra high-pressure requirements

Alfa Laval CB brazed plate heat exchangers provide efficient heat transfer with a small footprint.

Applications

- Refrigeration
- · Industrial heating and cooling

Benefits

- Compact
- Easy to install
- Self-cleaning
- · Low level of service and maintenance is required
- All units are pressure and leak tested
- · Gasket free

Design

The brazing material seals and holds the plates together at the contact points ensuring optimal heat transfer efficiency and pressure resistance. Using advanced design technologies and extensive verification guarantees the highest performance and longest possible service life.

The XP design is particularly suited for CO₂ applications.

The unit can be supplied with a refrigerant distribution system for optimal evaporator performance.

Based on standard components and a modular concept, each unit is custom-built to meet the specific requirements of each individual installation.

Examples of connections







Internal thread



Soldering



Welding



Technical Data

Standard materials Cover plates Stainless steel Connections Stainless steel Plates Stainless steel Brazing filler Copper

Dimensions and weight¹

A measure (mm)	13 + (2.4 * n)
A measure (inches)	0.51 + (0.09 * n)
Weight (kg) ²	2 + (0.13 * n)
Weight (lb) ²	4.41 + (0.29 * n)

- 1. n = number of plates
- 2. Excluding connections


Standard data


Volume per channel, litres (gal)	0.050 (0.013)
Max. particle size, mm (inch)	1.2 (0.05)
Max. flowrate ¹ m ³ /h (gpm)	14 (61.6)
Flow direction	Parallel
Min. number of plates	6
Max. number of plates	150

1. Water at 5 m/s (16.4 ft/s) (connection velocity)

Dimensional drawing


Measurements in mm (inches)






Design pressure and temperature

CBXP27 - PED approval pressure/temperature graph



CBXP27 - UL approval pressure/temperature graph



Designed for full vacuum.

Alfa Laval plate heat exchangers are available with a wide range of pressure vessel approvals. Please contact your Alfa Laval representative for more information.

NOTE: Values above are to be used as an indication. For exact values, please use the drawing generated by the Alfa Laval configurator or contact your local Alfa Laval representative.

Alfa Laval is a trademark registered and owned by Alfa Laval Corporate AB.