Spare Parts

Toftejorg SaniMidget Retractor, Media Driven

EPS00199-EN5 2017-05

Original manual

Table of contents

The information herein is correct at the time of issue but may be subject to change without prior notice

1. Toftejorg SaniMidget Retractor Media Driven complete 4
2. Cylinder for Toftejorg SaniMidget Retractor, Media Driven 6

Cross sectional drawing
Toftejorg SaniMidget Retractor Media Driven, complete
Art. nos. TE75M000_032



Reference List of Parts
Toftejorg SaniMidget Retractor Media Driven, complete
Art. nos. TE75M000_032

Pos		Qty	Denomination	Item no.	Materials	Remarks
1		1	Valve	TE75M502	Stainless steel	Spare part
2	♦○★	1	Cleaner head	TE75M533	Polymer	Wear part
3	♦○★	1	Spring pin	TE52D549	Stainless steel	Spare part
4	♦○★	1	Lock-pin	TE75M529	Stainless steel	Spare part
5		1	Front tube, complete	-	Stainless steel	*Note
6	□	1	Piston, complete, Stroke length = 100	TE75M310	Assy	Spare part
	□	1	Piston, complete, Stroke length = 150	TE75M31015	Assy	Spare part
	□	1	Piston, complete, Stroke length = 250	TE75M31025	Assy	Spare part
7		1	Clamp ring	TE51S126	Stainless steel	Spare part
8	□	1	Cylinder, complete, Stroke length = 100	TE75M300	Assy - EPDM	Spare part
	□	1	Cylinder, complete, Stroke length = 150	TE75M30015	Assy - EPDM	Spare part
	□	1	Cylinder, complete, Stroke length = 250	TE75M30025	Assy - EPDM	Spare part
	□	1	Cylinder, complete, Stroke length = 100	TE75M300001	Assy – Viton	Spare part
	□	1	Cylinder, complete, Stroke length = 150	TE75M300151	Assy – Viton	Spare part
	□	1	Cylinder, complete, Stroke length = 250	TE75M300251	Assy - Viton	Spare part
	□	1	Cylinder, complete, Stroke length = 100	TE75M300002	Assy – Perflour	Spare part
	□	1	Cylinder, complete, Stroke length = 150	TE75M300152	Assy – Perflour	Spare part
	□	1	Cylinder, complete, Stroke length = 250	TE75M300252	Assy – Perflour	Spare part
9	□♦	2	O-ring, EPDM	TE51T166	EPDM	Spare part
	□○	2	O-ring, Viton	TE51T167	Viton	Spare part
	□★	2	O-ring, Perflour	TE51T168	Perflour	Spare part
10	□♦	1	O-ring, EPDM	TE51T169	EPDM	Spare part
	□○	1	O-ring, Viton	TE51T170	Viton	Spare part
	□★	1	O-ring, Perflour	TE51T171	Perflour	Spare part
11		1	Gasket	TE75M508	Polymer	Spare part

*Note: Position 5 is not sold as single spare part component. Only sold as part of a machine maintenance/repair order. For further information please contact Alfa Laval Customer Support.

There are special conditions and rules regarding repair of ATEX certified machines so please check the Instruction Manual for your machine before doing any repairs.

Service kits

♦	Standard spare part kit - EPDM	TE75M299
○	Standard spare part kit - Viton	TE75M29901
★	Standard spare part kit - Perflour	TE75M29902

Parts marked with ◆ are included in the standard spare part kit for SaniMidget Retractor - EPDM: TE75M299
Parts marked with O are included in the standard spare part kit for SaniMidget Retractor - Viton: TE75M29901
Parts marked with ★ are included in the standard spare part kit for SaniMidget Retractor - Perflour: TE75M29902

❑ Configuration according to delivery note/order.

Cross sectional drawing
Cylinder for Toftejorg SaniMidget Retractor, Media Driven
Art. nos. TE75M300, TE73M30015, TE73M30025, TE73M300001, TE73M300151, TE73M300251, TE73M300002, TE73M300152, TE73M300252



Reference List of Parts
Cylinder for Toftejorg SaniMidget Retractor Media Driven
Art. nos. TE75M300, TE73M30015, TE73M30025, TE73M300001, TE73M300151, TE73M300251, TE73M300002, TE73M300152, TE73M300252

Pos		Qty	Denomination	Item no.	Material
1		1	Adapter	TE75M500	Stainless steel
2	□	1	O-ring, EPDM	TE51T131	EPDM
	□	1	O-ring, Viton	TE51T134	Viton
	□	1	O-ring, Perflour	TE51T133	Perflout
3		1	Guide tape	TE51L076	
4		1	Wiper	TE51T085	
5		2	O-ring	TE51T063	Elastomer
6	□	1	Shaft, Stroke length = 100	TE75M520	Stainless steel
	□	1	Shaft, Stroke length = 150	TE75M521	Stainless steel
	□	1	Shaft, Stroke length = 250	TE75M522	Stainless steel
7	□	1	Cylinder, Stroke length = 100	TE75M551	Stainless steel
	□	1	Cylinder, Stroke length = 150	TE75M55115	Stainless steel
	□	1	Cylinder, Stroke length = 250	TE75M55125	Stainless steel
8		1	Piston	TE75M528	Polymer
9		2	Gasket for Piston	TE51U500	Rubber
10		1	Magnet ring	TE75M550	
11		1	Guide tape	TE51L077	
12		1	Piston	TE75M509	Polymer
13		1	O-ring	TE51T064	Elastomer
14		1	Washer	TE51B054	Stainless steel
15		1	Locking nut	TE51A524	Stainless steel
16		1	End cover	TE75M527	Stainless steel
17	□	1	Spring, Stroke length = 100	TE75M605	
	□	1	Spring, Stroke length = 150	TE75M606	
	□	1	Spring, Stroke length = 250	TE75M607	
18	□	1	Spring, Stroke length = 100	TE75M610	
	□	1	Spring, Stroke length = 150	TE75M611	
	□	1	Spring, Stroke length = 250	TE75M612	
19		1	O-ring	TE51T172	Elastomer
20		1	Air screw	TE75M553	Stainless steel
21		1	Spring connection	TE75M530	Polymer
22		1	Air filter	TE51U126	Stainless steel

□ Configuration according to delivery note/order.

There are special conditions and rules regarding repair of ATEX certified machines so please check the Instruction Manual for your machine before doing any repairs.

Pos	Qty	Denomination	Item no.
Tool			
		Strap lock 50-135 mm	9690007001



The strap lock tool is used to disassemble and reassemble the piston cylinder in order to replace the guide tape.

How to contact Alfa Laval
Contact details for all countries are
continually updated on our website.
Please visit www.alfalaval.com to access the information directly.

© Alfa Laval Corporate AB
This document and its contents is owned by Alfa Laval Corporate AB and protected by laws governing intellectual property and thereto related rights. It is the responsibility of the user of this document to comply with all applicable intellectual property laws. Without limiting any rights related to this document, no part of this document may be copied, reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the expressed permission of Alfa Laval Corporate AB. Alfa Laval Corporate AB will enforce its rights related to this document to the fullest extent of the law, including the seeking of criminal prosecution.