



## Spare Parts

### Weighing systems - load cells

ESE02189-EN2 2010-10

Original manual



---

*The information herein is correct at the time of issue but may be subject to change without prior notice*

<b>1. Weighing systems - load cells</b>	
<b>Part lists</b> .....	<b>4</b>

# 1 Weighing systems - load cells

## Part lists

Load cell, accuracy 0.1%, Cable length: 6 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb)	TE67X000000000
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb)	TE67X000000001
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb)	TE67X000000002
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb)	TE67X000000003
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb)	TE67X000000004
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb)	TE67X000000005
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb)	TE67X000000006
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb)	TE67X000000007
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb)	TE67X000000008
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb)	TE67X000000009
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb)	TE67X000000012
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb)	TE67X0000000296
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb)	TE67X0000000259
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb)	TE67X0000000313

Load cell, accuracy 0.1%, Cable length: 6 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal	TE67X000000196
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal	TE67X000000197
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal	TE67X000000198
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal	TE67X000000199
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal	TE67X000000200
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal	TE67X000000201
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal	TE67X000000202
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal	TE67X000000203
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal	TE67X000000204
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal	TE67X000000205
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal	TE67X000000528
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal	TE67X000000559
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal	TE67X000000599
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal	TE67X000000622

Load cell, accuracy 0.1%, Cable length: 6 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1	TE67X000000119
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1	TE67X000000184
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1	TE67X000000652
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1	TE67X000000330
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1	TE67X000000363
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1	TE67X000000397
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1	TE67X000000441
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1	TE67X000000462
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1	TE67X000000487
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1	TE67X000000505
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1	TE67X000000536
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1	TE67X000000575
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1	TE67X000000591
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1	TE67X000000630

# 1 Weighing systems - load cells

## Part lists

Load cell, accuracy 0.1%, Cable length: 6 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1 .....	TE67X000000121
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1 .....	TE67X000000144
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1 .....	TE67X000000325
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1 .....	TE67X000000342
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1 .....	TE67X000000375
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1 .....	TE67X000000409
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1 .....	TE67X000000429
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1 .....	TE67X000000474
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1 .....	TE67X000000495
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1 .....	TE67X000000513
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1 .....	TE67X000000544
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1 .....	TE67X000000567
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1 .....	TE67X000000607
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1 .....	TE67X000000638

Load cell, accuracy 0.1%, Cable length: 10 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000057
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000058
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000059
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000060
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000061
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000062
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000063
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000064
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb) .....	TE67X000000065
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb) .....	TE67X000000066
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb) .....	TE67X0000000522
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb) .....	TE67X0000000553
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb) .....	TE67X0000000585
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb) .....	TE67X0000000616

Load cell, accuracy 0.1%, Cable length: 10 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal .....	TE67X000000216
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal .....	TE67X000000217
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal .....	TE67X000000218
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal .....	TE67X000000219
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal .....	TE67X000000220
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal .....	TE67X000000221
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal .....	TE67X000000222
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal .....	TE67X000000223
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal .....	TE67X000000224
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal .....	TE67X000000225
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal .....	TE67X000000530
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal .....	TE67X000000561
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal .....	TE67X000000601
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal .....	TE67X000000624

# 1 Weighing systems - load cells

## Part lists

### Load cell, accuracy 0.1%, Cable length: 10 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1	TE67X000000139
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1	TE67X000000146
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1	TE67X000000653
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1	TE67X000000332
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1	TE67X000000365
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1	TE67X000000400
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1	TE67X000000443
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1	TE67X000000464
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1	TE67X000000489
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1	TE67X000000507
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1	TE67X000000538
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1	TE67X000000577
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1	TE67X000000593
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1	TE67X000000632

### Load cell, accuracy 0.1%, Cable length: 10 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1	TE67X000000123
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1	TE67X000000151
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1	TE67X000000326
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1	TE67X000000344
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1	TE67X000000377
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1	TE67X000000412
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1	TE67X000000431
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1	TE67X000000476
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1	TE67X000000497
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1	TE67X000000515
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1	TE67X000000546
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1	TE67X000000569
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1	TE67X000000609
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1	TE67X000000640

### Load cell, accuracy 0.1%, Cable length: 20 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb)	TE67X000000076
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb)	TE67X000000077
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb)	TE67X000000078
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb)	TE67X000000079
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb)	TE67X000000080
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb)	TE67X000000081
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb)	TE67X000000082
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb)	TE67X000000083
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb)	TE67X000000084
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb)	TE67X000000085
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb)	TE67X000000524
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb)	TE67X000000555
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb)	TE67X000000587
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb)	TE67X000000618

# 1 Weighing systems - load cells Part lists

## Load cell, accuracy 0.1%, Cable length: 20 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal	TE67X000000236
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal	TE67X000000237
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal	TE67X000000238
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal	TE67X000000239
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal	TE67X000000240
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal	TE67X000000241
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal	TE67X000000242
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal	TE67X000000243
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal	TE67X000000244
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal	TE67X000000245
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal	TE67X000000532
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal	TE67X000000563
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal	TE67X000000603
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal	TE67X000000626

## Load cell, accuracy 0.1%, Cable length: 20 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1	TE67X000000147
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1	TE67X000000188
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1	TE67X000000654
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1	TE67X000000334
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1	TE67X000000367
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1	TE67X000000403
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1	TE67X000000445
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1	TE67X000000466
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1	TE67X000000491
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1	TE67X000000509
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1	TE67X000000540
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1	TE67X000000579
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1	TE67X000000595
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1	TE67X000000634

## Load cell, accuracy 0.1%, Cable length: 20 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1	TE67X000000125
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1	TE67X000000153
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1	TE67X000000327
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1	TE67X000000346
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1	TE67X000000379
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1	TE67X000000415
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1	TE67X000000433
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1	TE67X000000478
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1	TE67X000000499
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1	TE67X000000517
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1	TE67X000000548
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1	TE67X000000571
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1	TE67X000000611
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1	TE67X000000642

# 1 Weighing systems - load cells

## Part lists

Load cell, accuracy 0.1%, Cable length: 50 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb)	TE67X000000096
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb)	TE67X000000097
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb)	TE67X000000098
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb)	TE67X000000099
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb)	TE67X000000100
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb)	TE67X000000101
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb)	TE67X000000102
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb)	TE67X000000103
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb)	TE67X000000104
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb)	TE67X000000105
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb)	TE67X000000526
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb)	TE67X000000557
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb)	TE67X000000589
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb)	TE67X000000620

Load cell, accuracy 0.1%, Cable length: 50 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal	TE67X000000256
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal	TE67X000000257
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal	TE67X000000258
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal	TE67X000000172
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal	TE67X000000290
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal	TE67X000000390
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal	TE67X000000420
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal	TE67X000000456
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal	TE67X000000294
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal	TE67X000000503
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal	TE67X000000534
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal	TE67X000000565
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal	TE67X000000605
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal	TE67X000000628

Load cell, accuracy 0.1%, Cable length: 50 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1	TE67X000000160
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1	TE67X000000190
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1	TE67X000000655
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1	TE67X000000336
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1	TE67X000000369
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1	TE67X000000406
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1	TE67X000000447
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1	TE67X000000468
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1	TE67X000000493
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1	TE67X000000511
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1	TE67X000000542
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1	TE67X000000581
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1	TE67X000000597
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1	TE67X000000636



# 1 Weighing systems - load cells Part lists

## Load cell, accuracy 0.1%, Cable length: 50 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1 .....	TE67X000000138
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1 .....	TE67X000000155
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1 .....	TE67X000000328
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1 .....	TE67X000000348
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1 .....	TE67X000000381
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1 .....	TE67X000000418
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1 .....	TE67X000000435
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1 .....	TE67X000000480
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1 .....	TE67X000000501
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1 .....	TE67X000000519
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1 .....	TE67X000000550
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1 .....	TE67X000000573
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1 .....	TE67X000000613
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1 .....	TE67X000000644

## Load cell, accuracy 0.05%, Cable length: 6 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000014
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000015
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000016
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000017
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000018
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000019
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000020
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000021
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb) .....	TE67X000000022
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb) .....	TE67X000000023
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb) .....	TE67X000000021
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb) .....	TE67X000000052
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb) .....	TE67X0000000584
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb) .....	TE67X0000000615

## Load cell, accuracy 0.05%, Cable length: 6 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal .....	TE67X000000206
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal .....	TE67X000000207
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal .....	TE67X000000208
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal .....	TE67X000000209
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal .....	TE67X000000210
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal .....	TE67X000000211
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal .....	TE67X000000212
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal .....	TE67X000000213
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal .....	TE67X000000214
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal .....	TE67X000000215
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal .....	TE67X000000215
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal .....	TE67X000000215
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal .....	TE67X000000215
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal .....	TE67X000000215
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal .....	TE67X000000529
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal .....	TE67X000000560
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal .....	TE67X000000600
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal .....	TE67X000000623

# 1 Weighing systems - load cells

## Part lists

### Load cell, accuracy 0.05%, Cable length: 6 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1 .....	TE67X000000120
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1 .....	TE67X000000185
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1 .....	TE67X000000656
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1 .....	TE67X000000331
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1 .....	TE67X000000364
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1 .....	TE67X000000398
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1 .....	TE67X000000442
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1 .....	TE67X000000463
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1 .....	TE67X000000488
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1 .....	TE67X000000506
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1 ....	TE67X000000537
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1 ....	TE67X000000576
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1 ....	TE67X000000592
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1 ....	TE67X000000631

### Load cell, accuracy 0.05%, Cable length: 6 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1 .....	TE67X000000122
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1 .....	TE67X000000145
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1 .....	TE67X000000321
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1 .....	TE67X000000343
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1 .....	TE67X000000376
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1 .....	TE67X000000410
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1 .....	TE67X000000430
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1 .....	TE67X000000475
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1 .....	TE67X000000496
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1 .....	TE67X000000514
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1 .....	TE67X000000545
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1 .....	TE67X000000568
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1 .....	TE67X000000608
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1 .....	TE67X000000639

### Load cell, accuracy 0.05%, Cable length: 10 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000067
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000068
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000069
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000070
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000071
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000072
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000073
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000074
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb) .....	TE67X000000052
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb) .....	TE67X000000075
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb) .....	TE67X000000053
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb) .....	TE67X000000054
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb) .....	TE67X000000058
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb) .....	TE67X000000061

# 1 Weighing systems - load cells Part lists

## Load cell, accuracy 0.05%, Cable length: 10 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal .....	TE67X000000226
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal .....	TE67X000000227
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal .....	TE67X000000228
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal .....	TE67X000000229
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal .....	TE67X000000230
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal .....	TE67X000000231
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal .....	TE67X000000232
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal .....	TE67X000000233
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal .....	TE67X000000234
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal .....	TE67X000000235
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal .....	TE67X000000531
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal .....	TE67X000000562
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal .....	TE67X000000602
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal .....	TE67X000000625

## Load cell, accuracy 0.05%, Cable length: 10 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1 .....	TE67X000000140
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1 .....	TE67X000000187
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1 .....	TE67X000000657
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1 .....	TE67X000000333
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1 .....	TE67X000000366
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1 .....	TE67X000000401
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1 .....	TE67X000000444
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1 .....	TE67X000000465
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1 .....	TE67X000000490
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1 .....	TE67X000000508
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1 .....	TE67X000000539
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1 .....	TE67X000000578
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1 .....	TE67X000000594
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1 .....	TE67X000000633

## Load cell, accuracy 0.05%, Cable length: 10 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1 .....	TE67X000000124
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1 .....	TE67X000000152
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1 .....	TE67X000000322
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1 .....	TE67X000000345
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1 .....	TE67X000000378
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1 .....	TE67X000000413
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1 .....	TE67X000000432
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1 .....	TE67X000000477
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1 .....	TE67X000000498
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1 .....	TE67X000000516
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1 .....	TE67X000000547
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1 .....	TE67X000000570
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1 .....	TE67X000000610
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1 .....	TE67X000000641

# 1 Weighing systems - load cells

## Part lists

Load cell, accuracy 0.05%, Cable length: 20 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000086
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000087
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000088
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000089
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000090
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000091
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000092
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000093
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb) .....	TE67X000000094
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb) .....	TE67X000000095
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb) .....	TE67X000000525
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb) .....	TE67X000000556
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb) .....	TE67X000000588
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb) .....	TE67X000000619

Load cell, accuracy 0.05%, Cable length: 20 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal .....	TE67X000000246
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal .....	TE67X000000247
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal .....	TE67X000000248
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal .....	TE67X000000249
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal .....	TE67X000000250
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal .....	TE67X000000251
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal .....	TE67X000000252
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal .....	TE67X000000253
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal .....	TE67X000000254
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal .....	TE67X000000255
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal .....	TE67X000000533
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal .....	TE67X000000564
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal .....	TE67X000000604
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal .....	TE67X000000627

Load cell, accuracy 0.05%, Cable length: 20 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1 .....	TE67X000000159
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1 .....	TE67X000000189
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1 .....	TE67X000000658
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1 .....	TE67X000000335
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1 .....	TE67X000000368
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1 .....	TE67X000000404
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1 .....	TE67X000000446
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1 .....	TE67X000000467
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1 .....	TE67X000000492
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1 .....	TE67X000000510
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1 .....	TE67X000000541
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1 .....	TE67X000000580
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1 .....	TE67X000000596
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1 .....	TE67X000000635

# 1 Weighing systems - load cells Part lists

## Load cell, accuracy 0.05%, Cable length: 20 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1 .....	TE67X000000137
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1 .....	TE67X000000154
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1 .....	TE67X000000323
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1 .....	TE67X000000347
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1 .....	TE67X000000380
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1 .....	TE67X000000416
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1 .....	TE67X000000434
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1 .....	TE67X000000479
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1 .....	TE67X000000500
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1 .....	TE67X000000518
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1 .....	TE67X000000549
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1 .....	TE67X000000572
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1 .....	TE67X000000612
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1 .....	TE67X000000643

## Load cell, accuracy 0.05%, Cable length: 50 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000106
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000107
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000108
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000109
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000110
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000111
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000112
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000113
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb) .....	TE67X000000114
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb) .....	TE67X000000115
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb) .....	TE67X000000527
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb) .....	TE67X000000558
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb) .....	TE67X000000590
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb) .....	TE67X000000621

## Load cell, accuracy 0.05%, Cable length: 50 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal .....	TE67X000000169
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal .....	TE67X000000195
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal .....	TE67X000000178
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal .....	TE67X000000173
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal .....	TE67X000000354
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal .....	TE67X000000391
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal .....	TE67X000000421
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal .....	TE67X000000457
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal .....	TE67X000000295
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal .....	TE67X000000504
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal .....	TE67X000000535
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal .....	TE67X000000566
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal .....	TE67X000000606
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal .....	TE67X000000629

# 1 Weighing systems - load cells

## Part lists

### Load cell, accuracy 0.05%, Cable length: 50 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1 .....	TE67X000000170
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1 .....	TE67X000000183
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1 .....	TE67X000000659
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1 .....	TE67X000000337
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1 .....	TE67X000000370
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1 .....	TE67X000000407
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1 .....	TE67X000000448
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1 .....	TE67X000000469
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), 3.1 .....	TE67X000000494
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), 3.1 .....	TE67X000000512
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), 3.1 ....	TE67X000000543
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), 3.1 ....	TE67X000000582
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), 3.1 ....	TE67X000000598
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), 3.1 ....	TE67X000000637

### Load cell, accuracy 0.05%, Cable length: 50 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1 .....	TE67X000000127
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1 .....	TE67X000000143
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1 .....	TE67X000000324
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1 .....	TE67X000000349
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1 .....	TE67X000000382
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1 .....	TE67X000000419
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1 .....	TE67X000000436
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1 .....	TE67X000000481
-	-	Max system capacity pr. load cell: 6000 kg (13230 lb), Cal + 3.1 .....	TE67X000000502
-	-	Max system capacity pr. load cell: 8000 kg (17640 lb), Cal + 3.1 .....	TE67X000000520
-	-	Max system capacity pr. load cell: 10000 kg (22050 lb), Cal + 3.1 .....	TE67X000000551
-	-	Max system capacity pr. load cell: 15000 kg (33075 lb), Cal + 3.1 .....	TE67X000000574
-	-	Max system capacity pr. load cell: 20000 kg (44100 lb), Cal + 3.1 .....	TE67X000000614
-	-	Max system capacity pr. load cell: 25000 kg (55125 lb), Cal + 3.1 .....	TE67X000000645

### Load cell, accuracy 0.025%, Cable length: 6 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000286
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000287
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000288
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000289
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000359
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000291
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000292
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000293

# 1 Weighing systems - load cells Part lists

## Load cell, accuracy 0.025%, Cable length: 6 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal	TE67X000000129
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal	TE67X000000191
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal	TE67X000000177
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal	TE67X000000165
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal	TE67X000000355
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal	TE67X000000392
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal	TE67X000000425
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal	TE67X000000458

## Load cell, accuracy 0.025%, Cable length: 6 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1	TE67X000000130
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1	TE67X000000179
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1	TE67X000000660
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1	TE67X000000338
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1	TE67X000000371
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1	TE67X000000396
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1	TE67X000000449
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1	TE67X000000470

## Load cell, accuracy 0.025%, Cable length: 6 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1	TE67X000000128
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1	TE67X000000134
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1	TE67X000000317
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1	TE67X000000350
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1	TE67X000000383
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1	TE67X000000408
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1	TE67X000000437
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1	TE67X000000482

# 1 Weighing systems - load cells

## Part lists

Load cell, accuracy 0.025%, Cable length: 10 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000126
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000131
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000157
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000162
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000360
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000387
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000422
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000453

Load cell, accuracy 0.025%, Cable length: 10 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal .....	TE67X000000149
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal .....	TE67X000000192
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal .....	TE67X000000174
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal .....	TE67X000000168
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal .....	TE67X000000356
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal .....	TE67X000000393
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal .....	TE67X000000426
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal .....	TE67X000000459

Load cell, accuracy 0.025%, Cable length: 10 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1 .....	TE67X000000150
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1 .....	TE67X000000180
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1 .....	TE67X000000661
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1 .....	TE67X000000339
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1 .....	TE67X000000372
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1 .....	TE67X000000399
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1 .....	TE67X000000450
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1 .....	TE67X000000471



# 1 Weighing systems - load cells Part lists

Load cell, accuracy 0.025%, Cable length: 10 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1 .....	TE67X000000148
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1 .....	TE67X000000135
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1 .....	TE67X000000318
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1 .....	TE67X000000351
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1 .....	TE67X000000384
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1 .....	TE67X000000411
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1 .....	TE67X000000438
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1 .....	TE67X000000483

Load cell, accuracy 0.025%, Cable length: 20 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb) .....	TE67X000000136
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb) .....	TE67X000000132
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb) .....	TE67X000000158
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb) .....	TE67X000000163
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb) .....	TE67X000000361
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb) .....	TE67X000000388
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb) .....	TE67X000000423
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb) .....	TE67X000000454

Load cell, accuracy 0.025%, Cable length: 20 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal .....	TE67X000000156
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal .....	TE67X000000193
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal .....	TE67X000000175
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal .....	TE67X000000171
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal .....	TE67X000000357
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal .....	TE67X000000394
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal .....	TE67X000000427
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal .....	TE67X000000460

# 1 Weighing systems - load cells

## Part lists

### Load cell, accuracy 0.025%, Cable length: 20 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1	TE67X000000650
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1	TE67X000000181
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1	TE67X000000662
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1	TE67X000000340
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1	TE67X000000373
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1	TE67X000000402
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1	TE67X000000451
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1	TE67X000000472

### Load cell, accuracy 0.025%, Cable length: 20 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1	TE67X000000118
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1	TE67X000000141
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1	TE67X000000319
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1	TE67X000000352
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1	TE67X000000385
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1	TE67X000000414
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1	TE67X000000439
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1	TE67X000000484

### Load cell, accuracy 0.025%, Cable length: 50 meter

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb)	TE67X000000651
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb)	TE67X000000133
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb)	TE67X000000161
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb)	TE67X000000164
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb)	TE67X000000362
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb)	TE67X000000389
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb)	TE67X000000424
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb)	TE67X000000455

# 1 Weighing systems - load cells Part lists

## Load cell, accuracy 0.025%, Cable length: 50 meter, Calibration Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal	TE67X000000166
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal	TE67X000000194
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal	TE67X000000176
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal	TE67X000000329
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal	TE67X000000358
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal	TE67X000000395
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal	TE67X000000428
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal	TE67X000000461

## Load cell, accuracy 0.025%, Cable length: 50 meter, 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), 3.1	TE67X000000167
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), 3.1	TE67X000000182
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), 3.1	TE67X000000663
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), 3.1	TE67X000000341
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), 3.1	TE67X000000374
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), 3.1	TE67X000000405
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), 3.1	TE67X000000452
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), 3.1	TE67X000000473

## Load cell, accuracy 0.025%, Cable length: 50 meter, Calibration and 3.1 Certificate

Pos	Qty	Denomination	Item no.
-	-	Max system capacity pr. load cell: 100 kg (220.5 lb), Cal + 3.1	TE67X000000117
-	-	Max system capacity pr. load cell: 250 kg (551.25 lb), Cal + 3.1	TE67X000000142
-	-	Max system capacity pr. load cell: 500 kg (1102.5 lb), Cal + 3.1	TE67X000000320
-	-	Max system capacity pr. load cell: 1000 kg (2205 lb), Cal + 3.1	TE67X000000353
-	-	Max system capacity pr. load cell: 2000 kg (4410 lb), Cal + 3.1	TE67X000000386
-	-	Max system capacity pr. load cell: 3000 kg (6615 lb), Cal + 3.1	TE67X000000417
-	-	Max system capacity pr. load cell: 4000 kg (8820 lb), Cal + 3.1	TE67X000000440
-	-	Max system capacity pr. load cell: 5000 kg (11025 lb), Cal + 3.1	TE67X000000485

# 1 Weighing systems - load cells

## Part lists

### Other optional features

Pos	Qty	Denomination	Item no.
-	-	Baseplate for load cells =< 5000 kg .....	TE67X000000010
-	-	Baseplate for load cells => 6000 kg .....	TE67X000000011
-	-	Dummy for load cell =< 5000 kg .....	TE67X000000012
-	-	Dummy for load cell => 6000 kg .....	TE67X000000013
-	-	Ribboncable for one load cell (2 connectors) .....	TE67X000000053
-	-	Ribboncable for two load cells (3 connectors) .....	TE67X000000054
-	-	Ribboncable for three load cells (4 connectors) .....	TE67X000000055
-	-	Ribboncable for four load cells (5 connectors) .....	TE67X000000056
-	-	Ribboncable for five load cells (6 connectors) .....	TE67X000000316
-	-	6 meter cable with plug .....	TE67X000000260
-	-	10 meter cable with plug .....	TE67X000000261
-	-	20 meter cable with plug .....	TE67X000000262
-	-	50 meter cable with plug .....	TE67X000000263
-	-	6 meter cable with plug FEP .....	TE67X000000646



**How to contact Alfa Laval**

Contact details for all countries are continually updated on our website.

Please visit [www.alfalaval.com](http://www.alfalaval.com) to access the information directly.

© Alfa Laval Corporate AB

This document and its contents is owned by Alfa Laval Corporate AB and protected by laws governing intellectual property and thereto related rights. It is the responsibility of the user of this document to comply with all applicable intellectual property laws. Without limiting any rights related to this document, no part of this document may be copied, reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the expressed permission of Alfa Laval Corporate AB. Alfa Laval Corporate AB will enforce its rights related to this document to the fullest extent of the law, including the seeking of criminal prosecution.