PRODUCT CATALOG 2020
KEOFITT CLASSIC W15

KEOFITT®
WORLD LEADERS IN STERILE SAMPLING™

HOW IT WORKS

SAMPLING



STERILIZATION



KEOFITT CLASSIC W15 SAMPLING VALVE

The KEOFITT CLASSIC W15 Sampling Valve is designed for high viscosity products in the range of 0-50,000 cP with particles up to 8 mm in diameter.Sampling of more viscous liquids is possible, only will it take longer (depending on process pressure).

This valve is used in a range of industries such as brewery, dairy, pharmaceutical and bio-tech for products such as:

- Yoghurt
- Honey
- Syrup
- Ketchup
- Marmalade
- Creams and lotions
- Fruit pulp products

Available with PTFE membrane.

KEOFITT CLASSIC W15 SAMPLING VALVE - BODIES

W15 BODIES

	WELDING BODIES		CONNECTION BODIES			
	TANK WELDING	PIPE WELDING	VARIVENT Ø68	CLAMP 1”	CLAMP 2”	CLAMP 3”
3/4” TRI-CLAMP	860001	860011	860009	860004*	860002	860003
3/4” WELDING ENDS	860007	*On request*	*On request*	*On request*	*On request*	

* ON REQUEST ONLY!

KEOFITT CLASSIC W15 SAMPLING VALVE - HEADS

W15 HEADS

	TYPE H TURN KNOB 0-10 BAR (G)	TYPE B NO SPRING 0-12 BAR (G)
PTFE	 865541	 865547

TYPE N PNEUMATIC 0-10 BAR (G)
 865544

KEOFITT CLASSIC W15 - PARTS & ACCESSORIES

W15™ PARTS & ACCESSORIES

O-RINGS	 400208 EPDM 60X3	 550184 FESTO	
MEMBRANES	 860055 PTFE		
FOR MINI TRI-CLAMP	 300021 CLAMP PTFE 10/8	 550004 PTFE TC 0.5M	 550005 PTFE TC 1.0M
FOR VALVE HEADS	 600170 LEVER HANDLE Q/N	 600370 LEVER HANDLE SELF-CLOSING	 860255 TOOL PTFE
MISC.	 900075 CLAMP RING 1/2”	 900074 GASKET EPDM 3/4”	 900092 GASKET EPDM 2”

 800014 ADAPTER TC/1”	 900013 MINI CLAMP SPIKE	 900096 ADAPTER HP/TC
 900093 GASKET EPDM 3”	 900186 2” CLAMP RING	 900021 BLIND CAP F/MINI TRI CLAMP