PRODUCT CATALOG 2020
KEOFITT CLASSIC W25

KEOFITT®
WORLD LEADERS IN STERILE SAMPLING™

HOW IT WORKS

SAMPLING



STERILIZATION



KEOFITT CLASSIC W25 SAMPLING VALVE

The KEOFITT CLASSIC W25 Sampling Valve is the largest KEOFITT sampling valve. Designed for sampling of very high viscosity products in the range of 0-250,000 cP and particles less than 17 mm in diameter. Sampling of more viscous liquids is possible, only will it take longer (depending on process pressure).

This valve is used in a range of industries such as food, dairy, pharmaceutical and bio-tech for products such as:

- Peanut Butter
- Fruit Pulp
- Syrup
- Cellulose
- Fruit Mixed Products
- Cosmetics

Available with PTFE membrane.

KEOFITT CLASSIC W25 SAMPLING VALVE - BODIES

W25 BODIES

	WELDING BODIES	
	TANK WELDING	PIPE WELDING
1” CLAMP	870001	*On request*
VELDING LINER	*On request*	*On request*

	CONNECTION BODIES	
	VARIVENT Ø68	CLAMP 3”
1” CLAMP	870009	 870003
VELDING LINER	*On request*	*On request*

KEOFITT CLASSIC W25 SAMPLING VALVE - HEADS

W25 HEADS

PTFE

TYPE N LEVER HANDLE PNEUMATIC	TYPE B NO SPRING 0-12 BAR
 875544	 875547

KEOFITT CLASSIC W25 - PARTS & ACCESSORIES

W25™ PARTS & ACCESSORIES

O-RINGS	 400208 EPDM 60X3	 900091 GASKET EPDM 1”	
MEMBRANES	 870055 PTFE		
FOR VALVE HEADS	 870255 TOOL PTFE		
MISC.	 900086 CLAMP RING 1”	 800014 ADAPTER TC/1”	 900093 GASKET EPDM 3”

 900187 CLAMP RING FOR W25 VALVE		